



CRESTLINER
FORGED WITH STRENGTH. DEFINED BY DURABILITY.





FORGED WITH STRENGTH. DEFINED BY DURABILITY.

For over seven decades, we've pushed the limits of possibility with every new Crestliner model. Through each passing year our craftsmen have shaped more than the toughest all-welded aluminum hulls on the water—they've shaped your time on the water. With a relentless commitment to excellence, Crestliner continues to push boundaries by building boats with unrivaled strength, innovative fishing features and superior design. Experience the strongest, most durable fishing boats on the water today.

| | |
|----|----------------------|
| 2 | Advantages |
| 6 | PT |
| 10 | VT/VTC |
| 16 | Storm |
| 17 | Outlook |
| 18 | Bay |
| 20 | Arrow |
| 21 | Retriever FCC |
| 22 | Retriever CC/SC/SCHD |
| 23 | Retriever Jon Deluxe |
| 24 | Retriever Jon |
| 25 | CR Jon |
| 26 | Features & Options |
| 28 | Colors |

MADE TO PERFORM.

**NO LEAKS. NO WOOD.
NO CAUGHT LINES. NO MAINTENANCE.**

Countless innovations seamlessly integrated into the design. Simply put, Crestliner boats are welded to stand the test of time and built to perform.

WELDING PROCESS

Crestliner uses handcrafted, continuously welded seams on our hull for unbeatable strength, durability and a watertight fit.

SUPERIOR STRUCTURAL INTEGRITY

Under the floor of a Crestliner is a rock solid foundation with an intricate stringer system providing a safe, smooth ride.

BROAD BEAM DESIGN

With an advanced broad beam design, Crestliners have more deck space and larger casting platforms—perfect for fishing all day.

WOOD-FREE CONSTRUCTION


From rugged transoms to solid decking, the Crestliner line up gives you the durability, consistency and quality of 100% aluminum construction.

*Not all processes, features and statements apply to every Crestliner boat model.



1

2



1 MULTI X HULL

Crestliner Mod-V hulls utilize a multi-piece design with formed-in strakes built into the construction and extruded longitudinal ribs under the decking. This produces superior strength, stability and durability.

2 EXTRUDED FULL LENGTH KEEL

The backbone of every Mod-V, the extruded full-length keel is constructed using an interlocking tongue and groove seam construction method, providing strength and a smooth ride. There isn't a boat designed with more precision or durability in mind.

"I choose Crestliner because of the storage, the giant livewells and the massive rod lockers. I have everything I need in my boat. But also because I need a boat that can get places other guys can't."

John Cox | Crestliner National Pro Team



10 CONSECUTIVE CSI AWARDS

ENDURING QUALITY

At Crestliner, integrity and passion drives every decision, from the builders who make the boats to the anglers who use them. We take pride in our generations of engineering innovation—designing boats that also last generations.

CRESTLINER LIFETIME

EXCLUSIVE **+3** WARRANTY

INDUSTRY'S STRONGEST WARRANTY

Crestliner was the first to offer a limited lifetime warranty on all mainseam welds and a 3-year bow-to-stern warranty on virtually everything else. Then it got better—allowing Crestliner's warranty to transfer to future owners.

(Warranty differs on CR Jon and Outreach boats)




GET SET WITH ALL NEW CRESTLINER GEAR

▶ See the full collection at crestliner.com/gear



PREPARING FOR A BIG 2017



Casey Smith in his PT 18

Like many others, Crestliner Pro Staff member Casey Smith's fishing career started off as a hobby. But unlike most anglers, Casey is planning to add a few tournament wins to his resume this season. And he's doing it out of his Crestliner PT 18.

"I love it. I can count on it. It's perfect for tournaments where the elements play a factor. It sits a little higher, it has a bit more gunnel—that makes a huge difference."

Joining Casey on the tournament circuit is 2016 FLW champion and Crestliner National Pro Team member John Cox. The two will help each other hone their skills in an effort to build on Crestliner's winning reputation.

"John's gonna be tough to beat," Casey says. "He's the champ for a reason. Part of that is his boat and where he takes it. He's really helped change the perception of aluminum boats. People know they can win with them. Including me."

Whatever the result of this year's tournament schedule, Casey Smith is just happy to be doing what he's passionate about.

"I love being on the water, catching fish. I can't wait to get going."

WELCOME SOME NEW RETRIEVERS TO THE FAMILY



RETRIEVER HEAVY DUTY

The Retriever just got a lot tougher.

The all-new Retriever SC Heavy Duty (SCHD) is built with a .125 gauge aluminum thickness that makes it ultra-durable. In addition to being the toughest Retriever, it features a side console, a massive 60-gallon bow livewell and a large bow deck with ample storage. Perfect for catfishing but great for any kind of fishing, the Retriever SCHD is built rock-solid for any kind of action.



RETRIEVER FORWARD CENTER CONSOLE

Experience the water from a new view.

New for 2018 is the Retriever Forward Center Console (FCC). Perfect for shallow-water fishing, the forward center console of the Retriever FCC gives you a better view of the whole lake. This gives you the confidence to take it where other boats can't go. Additionally, the Retriever FCC is propelled by a jet engine and features a 23-gallon aerated bow livewell, plenty of rod storage and room to fish about the boat.

NEW FOR THE 2018 MOD-V LINEUP

More features and updates that make our best even better.

- 16' and 17' Retrievers now have wider bottoms
- New upholstery
- New seats on Storm, Outlook, Arrow and Retrievers
- New locator options
- And now offering Active Trim, Panther Power Steering and VesselView® Link on select models

National Pro Team and Pro Staff members John Cox and Casey Smith in the PT 20



PT

20 | 18

THE CHOICE OF CHAMPIONS

To be at the top of your game, preparation is key. All the up-front work you do to get on the fish should be rewarded by a boat that features the same level of dedication. Built with the tournament-level fisherman in mind, the top-tier PT offers all the fishing features a pro bass angler could ever want and the all-welded durability that they need. It's no wonder why the PT is the choice of champions.



PT 18



PT 20



PT 20



KEY FEATURES & POPULAR OPTIONS

1 SPACIOUS BOW DECK

Demand more. The spacious bow casting deck features center rod storage, port and starboard gear/rod lockers, a massive 96" beam, a recessed trolling motor foot control, space for electronics, pedestal base and additional storage. (PT 20 shown)

2 BOW CENTER ROD STORAGE

Lockable center rod storage holds up to 10 rods at 8'6" on the PT 20 and up to 12 rods at 8' capacity on the PT 18. Each includes extra space for tackle boxes and gear on the side. (PT 20 shown)

3 PREMIUM CONSOLE

Premium console features detailed instrument panel with multifunction black sterling gauges, switches, 12V power outlet, tool holder, space for 9" electronics and a windscreen.

4 STERN LIVEWELL

The more you can carry, the more you can show. Deep 45-gallon (PT 20) or 33-gallon (PT 18) aerated and fully insulated stern livewells complete with timer, divider and recirculating system keep your trophy bass in prime condition. (PT 18 shown)

MORE FEATURES & OPTIONS

- Premium Helm and Passenger Seating
- Stern Port & Starboard Insulated Storage and Easy to Reach Battery Storage
- Bow Port & Starboard Locking Rod Storage Holds 12 Rods Each (PT 20 8'6", PT 18 7' 6" Capacity)
- Pro Seat and Butt Seat
- Folding Center Seat (Doubles as a Step to Stern Deck)*
- Hot Foot™ Throttle*
- Custom Ratchet Travel Cover*
- Boss® Stereo with Bluetooth, USB & 2 Speakers*
- Port Console with Glove Box & Windscreen*

*Optional

▶ For a full video walk-through of the PT, visit crestliner.com



Pro Staff member Casey Smith in the PT 18

SPECIFICATIONS

Overall Length
 Boat/Motor/Trailer Length
 Boat/Motor/Trailer Width
 Boat/Motor/Trailer Height
 Beam
 Transom Height
 Deadrise
 Weight (Boat only, dry)
 Max Capacity (Weight/Person)
 Max HP Capacity
 Fuel Capacity
 Aluminum Gauge Bottom

PT 20

20' 5" 6.22 m
 24' 3" 7.39 m
 8' 2" 2.49 m
 5' 10" 1.78 m
 96" 244 cm
 20" 51 cm
 9° 9°
 1,567# 711 kg
 1,363#/4 618 kg/4
 200 200
 32 gal 121 L
 .110" .279 cm

PT 18

18' 6" 5.64 m
 22' 6.71 m
 8' 2" 2.49 m
 5' 10" 1.78 m
 96" 244 cm
 21" 53 cm
 10° 10°
 1,513# 686 kg
 1,262#/4 572 kg/4
 150 150
 29 gal 110 L
 .110" .279 cm

COLORS & CONFIGURATIONS

- BASE - ACCENT - INTERIOR
-  Black Metallic - Black Metallic - Gray
 -  Silver Metallic - Silver Metallic - Gray
 -  White - White - Gray
 -  Black Metallic - White - Gray*
 -  Silver Metallic - Red Flame Metallic - Gray*
 -  White - Silver Metallic - Gray*
- *Optional colors

-  Side Console
-  Dual Console
-  Rod Storage
-  Storage
-  Livewell



National Pro Team Member John Cox in the VT 17 DX



VT/VTC

19 | 18 | 17 | 19C | 18C | 17C

BUILT TO BUILD YOUR REPUTATION

Whether you're fishing with a few friends or aiming to climb up the leaderboard, you'll want the VT under foot. Designed with features hardcore anglers demand, the VT is approachable enough for anglers of all skill sets. If you're more of a crappie fisherman, consider the VTC. With a layout ideal for crappie fishing, the VTC will help you win the day. This angler-friendly series offers the ultimate versatility for any pursuit.



VT 17C





VT 19

SPECIFICATIONS


| | VT 19 | | VT 18 | | VT 17 | |
|------------------------------|----------|----------|----------|----------|----------|----------|
| Overall Length | 19' | 5.79 m | 18' 5" | 5.61 m | 17' 6" | 5.33 m |
| Boat/Motor/Trailer Length | 21' 6" | 6.55 m | 21' 6" | 6.55 m | 19' 11" | 6.07 m |
| Boat/Motor/Trailer Width | 8' | 2.44 m | 8' | 2.44 m | 8' | 2.44 m |
| Boat/Motor/Trailer Height | 5' 10" | 1.78 m | 5' 10" | 1.78 m | 5' 9" | 1.75 m |
| Beam | 92.25" | 234 cm | 92.25" | 234 cm | 92.25" | 234 cm |
| Transom Height | 20" | 51 cm | 20" | 51 cm | 20" | 51 cm |
| Deadrise | 10° | 10° | 10° | 10° | 10° | 10° |
| Weight (Boat only, dry) | 1,135# | 515 kg | 1,126# | 511 kg | 1,106# | 502 kg |
| Max Capacity (Weight/Person) | 1,344#/4 | 610 kg/4 | 1,223#/4 | 555 kg/4 | 1,223#/4 | 555 kg/4 |
| Max HP Capacity | 150 | 150 | 115 | 115 | 80 | 80 |
| Fuel Capacity | 21 gal | 79.5 L | 21 gal | 79.5 L | 21 gal | 79.5 L |
| Aluminum Gauge Bottom | .100" | .254 cm | .100" | .254 cm | .100" | .254 cm |

COLORS & CONFIGURATIONS

- BASE - ACCENT - INTERIOR**
-  Aluminum - Black Metallic - Gray
 -  Aluminum - Blue Flame Metallic - Gray
 -  Aluminum - Red Flame Metallic - Gray
 -  Aluminum - Silver Metallic - Gray
 -  Aluminum - White - Gray
 -  Mossy Oak® Breakup*
 -  Mossy Oak® Shadowgrass*
- Interior standard is gray carpet. Optional Crest-Liner interior coating in matte gray available with any standard exterior color. Full exterior hull paint and Mad Fish Graphics available as a special option.
*Optional colors

TRIM LEVELS

-  Standard
-  DX
-  Side Console
-  Dual Console (VT 19/18)
-  Rod Storage
-  Storage
-  Livewell



KEY FEATURES & POPULAR OPTIONS

1 BOW CASTING DECK

With the VT's large casting decks, you get all-day fishing features including center locking rod storage plus port and starboard gear/rod lockers on the VT 19 and VT 18 with a port rod locker and center storage on the VT 17. (VT 19 shown)

2 STERN CASTING DECK AND 22-GALLON STERN LIVEWELL

A large casting platform with 22-gallon aerated livewell complete with timer is right where you need it, when you need it.

3 SEATING WITH STORAGE BELOW

Helm and passenger modified bucket seats include a center storage/step box and two drink holders. Under the seats is a 60/40 split storage to stow gear and keep items secure.

4 FEATURE-FILLED CONSOLE

The VT console features carbon fiber style instrument panel with multifunction black sterling gauges, switch panel, 12V power outlet, throw tray and Humminbird® PiranhaMAX 4 color fish finder (fits 9" electronics). (Shown with windscreen and upgraded steering wheel in the DX Trim Level.)

5 CUSTOM TRAVEL COVER

Optional custom travel cover attaches securely with its easy on, easy off ratchet strap system.

MORE FEATURES & OPTIONS

- SureMount Gunnel System with Optional Accessories
- Ergonomic Recessed Trolling Motor
- Foot Control
- Bow Step with Storage
- Port Console with Windscreen (VT 19/18 only)*
- Fold-Down Center Seat*
- DX Trim Level* (Learn more on page 26)

*Optional

▶ For a full video walk-through of the VT, visit crestliner.com





1

KEY FEATURES & POPULAR OPTIONS

1 THREE BOW PEDESTALS

Customize the setup of your fishing experience with three bow pedestal bases.

2 13-GALLON BOW LIVEWELL WITH BAIT BUCKET

13-gallon aerated livewell with bait bucket is right where you need it, when you need it.

3 SEATING WITH STORAGE BELOW

Add the optional center fold-down seat/step for additional seating. Under the seats is a 60/40 split storage to stow gear and keep items secure.

4 BOW STORAGE

Bow features step up storage box, rod and gear storage, 13-gallon aerated livewell and tackle tray storage. (Tackle tray storage is only available on VTC 19/18. VT 18C shown.)



2



3



4

MORE FEATURES & OPTIONS

- Feature Filled Console with Carbon Fiber Style Panel, Multifunction Gauges, Switch Panel, 12V Power Outlet, Throw Tray and Humminbird® PiranhaMAX 4 Color Fish Finder
- Port Console (VTC 19/18)*
- Custom Travel Cover with Easy On, Easy Off Ratchet Strap System.*
- SureMount Gunnel System with Optional Accessories
- Crest-Liner Interior Coating
- Camouflage Paint
- 22-Gallon Stern Aerated Livewell with Timer
- DX Trim Level* (Learn more on page 26)

*Optional

▶ For a full video walk-through of the VTC, visit crestliner.com



VT 17C



VTC

VT 19C DX



VT 18C

SPECIFICATIONS


| | VT 19C | | VT 18C | | VT 17C | |
|------------------------------|----------|----------|----------|----------|----------|----------|
| Overall Length | 19' | 5.79 m | 18' 5" | 5.61 m | 17' 6" | 5.33 m |
| Boat/Motor/Trailer Length | 21' 6" | 6.55 m | 21' 6" | 6.55 m | 19' 11" | 6.07 m |
| Boat/Motor/Trailer Width | 8' | 2.44 m | 8' | 2.44 m | 8' | 2.44 m |
| Boat/Motor/Trailer Height | 5' 10" | 1.78 m | 5' 10" | 1.78 m | 5' 9" | 1.75 m |
| Beam | 92.25" | 234 cm | 92.25" | 234 cm | 92.25" | 234 cm |
| Transom Height | 20" | 51 cm | 20" | 51 cm | 20" | 51 cm |
| Deadrise | 10° | 10° | 10° | 10° | 10° | 10° |
| Weight (Boat only, dry) | 1,135# | 515 kg | 1,126# | 511 kg | 1,106# | 502 kg |
| Max Capacity (Weight/Person) | 1,344#/4 | 610 kg/4 | 1,223#/4 | 555 kg/4 | 1,223#/4 | 555 kg/4 |
| Max HP Capacity | 150 | 150 | 115 | 115 | 80 | 80 |
| Fuel Capacity | 21 gal | 79.5 L | 21 gal | 79.5 L | 21 gal | 79.5 L |
| Aluminum Gauge Bottom | .100" | .254 cm | .100" | .254 cm | .100" | .254 cm |

COLORS & CONFIGURATIONS

- BASE - ACCENT - INTERIOR
- Aluminum - Black Metallic - Gray
 - Aluminum - Blue Flame Metallic - Gray
 - Aluminum - Red Flame Metallic - Gray
 - Aluminum - Silver Metallic - Gray
 - Aluminum - White - Gray
 - Mossy Oak® Breakup*
 - Mossy Oak® Shadowgrass*
- Interior standard is gray carpet. Optional Crest-Liner interior coating in matte gray available with any standard exterior color. Full exterior hull paint and Mad Fish Graphics available as a special option.
*Optional colors

TRIM LEVELS

- Standard
- DX
- Side Console
- Dual Console (VTC 19/18)
- Rod Storage
- Storage
- Livewell





1700 Storm

STORM

1700 | 1600



1



2



3

GO ON A FISH-FINDING EXPEDITION

Chase any species you wish with the unrivaled design and value of the Storm.

1 BOW LIVEWELL

16-gallon aerated with bait bucket.

2 CONSOLE

Console includes switch panel, cup holder and Humminbird® PiranhaMAX 4 color fish finder so you can stay on the fish all day.

3 PORT ROD STORAGE

Locking port rod storage holds five 8' rods.

MORE FEATURES & OPTIONS

- Under Seating Storage
- MotorGuide™ or MinnKota™ 45/45 12V Trolling Motor



▶ For a full video walk-through of the Storm, visit crestliner.com

SPECIFICATIONS

| | 1700 STORM | | 1600 STORM | |
|------------------------------|------------|----------|------------|----------|
| Overall Length | 17' | 5.18 m | 16' | 4.87 m |
| Boat/Motor/Trailer Length | 19' 4" | 5.89 m | 19' | 5.79 m |
| Boat/Motor/Trailer Width | 6' 6" | 1.98 m | 6' 6" | 1.98 m |
| Boat/Motor/Trailer Height | 5' 8" | 1.72 m | 5' 8" | 1.72 m |
| Beam | 75" | 191 cm | 75" | 191 cm |
| Transom Height | 20" | 51 cm | 20" | 51 cm |
| Deadrise | 8° | 8° | 8° | 8° |
| Weight (Boat only, dry) | 670# | 304 kg | 610# | 277 kg |
| Max Capacity (Weight/Person) | 1,101#/4 | 499 kg/4 | 936#/3 | 425 kg/3 |
| Max HP Capacity | 60 | 60 | 50 | 50 |
| Fuel Capacity | 12 gal** | 45 L | 6 gal** | 22.5 L |
| Aluminum Gauge Bottom | .100" | .254 cm | .100" | .254 cm |

**Portable

COLORS & CONFIGURATIONS

- BASE - ACCENT - INTERIOR
- Aluminum - Aluminum - Gray
 - Aluminum - Black Metallic - Gray*
 - Aluminum - Blue Flame Metallic - Gray*
 - Aluminum - Red Flame Metallic - Gray*
 - Aluminum - Silver Metallic - Gray*
 - Aluminum - White - Gray*
 - Mossy Oak® Breakup*
 - Mossy Oak® Shadowgrass*

Interior standard is gray carpet. Optional Crest-Liner interior coating in matte gray available with any optional exterior color. *Optional colors



Side Console

1700
See crestliner.com for additional floorplans

Rod Storage

Storage

Livewell





OUTLOOK

1657 SS



SPECIFICATIONS

| | | |
|------------------------------|----------|----------|
| Overall Length | 16' | 4.88 m |
| Boat/Motor/Trailer Length | 19' | 5.79 m |
| Boat/Motor/Trailer Width | 6' 6" | 1.98 m |
| Boat/Motor/Trailer Height | 5' 8" | 1.73 m |
| Beam | 78" | 198 cm |
| Transom Height | 20" | 51 cm |
| Deadrise | 4° | 4° |
| Weight (Boat only, dry) | 737# | 334 kg |
| Max Capacity (Weight/Person) | 1,101#/4 | 499 kg/4 |
| Max HP Capacity | 50 | 50 |
| Fuel Capacity | 12 gal** | 45 L |
| Aluminum Gauge Bottom | .100" | .254 cm |

1657 STICK STEER

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

- Aluminum - Aluminum - Gray
- Aluminum - Black Metallic - Gray*
- Aluminum - Blue Flame Metallic - Gray*
- Aluminum - Red Flame Metallic - Gray*
- Aluminum - Silver Metallic - Gray*
- Aluminum - White - Gray*
- Mossy Oak® Breakup*
- Mossy Oak® Shadowgrass*

Interior standard is gray carpet. Silver Metallic Base available with all accent colors as a special option. Optional Crest-Liner interior coating in matte gray available with any standard exterior color.

*Optional Colors

1657 SS

Rod Storage

Storage

Livewell



TAKE TOTAL CONTROL

With full control, an upfront view and everything within reach, the Outlook gives stick steer enthusiasts a boat they can rely on.

1 STARBOARD LOCKING ROD STORAGE

Locking starboard rod storage holds four rods up to 9' in length.

2 11-GALLON PORT SIDE LIVEWELL

Aerated livewell with removable bait bag.

3 TEMPRESS SEAT WITH STORAGE BOX

MORE FEATURES & OPTIONS

- MotorGuide™ or MinnKota™ 45/45 12V Trolling Motor
- Humminbird® PiranhaMAX 4 Color Fish Finder
- Center Seat with Storage Below*

*Optional





2200 BAY



REEL THEM IN WHEN YOU'RE WAY OUT

The 2200 Bay's Deep-V hull cuts through the rough open waters as you steer towards your favorite fishing spot. Drop a line and the multitude of fishing features will help you net the catch of the day.

1 PREMIUM FIBERGLASS CENTER CONSOLE

The stylish center console features a professional-level instrument panel and space for 7" electronics.

2 FULL BOW CASTING DECK

Extended casting deck includes port and starboard rod storage and increased center storage compartment.

MORE FEATURES & OPTIONS

- Ample Seating
 - Captain's Package*
 - Stainless Steel Flip Up Cleats*
 - T-Top features storage, lights and 4 rocket launcher rod holders*
- *Optional



SPECIFICATIONS

| | 2200 BAY | |
|------------------------------|----------|----------|
| Overall Length | 22' 3" | 6.78 m |
| Boat/Motor/Trailer Length | 28' | 8.53 m |
| Boat/Motor/Trailer Width | 8' 10" | 2.69 m |
| Boat/Motor/Trailer Height | 7' 6" | 2.28 m |
| Beam | 98" | 249 cm |
| Transom Height | 24" | 61 cm |
| Deadrise | 15° | 15° |
| Weight (Boat only, dry) | 1,912# | 868 kg |
| Max Capacity (Weight/Person) | 1,923#/8 | 872 kg/8 |
| Max HP Capacity | 200 | 200 |
| Fuel Capacity | 41 gal | 155 L |
| Aluminum Gauge Bottom | .125" | .318 cm |

COLORS & CONFIGURATIONS

| BASE - ACCENT - INTERIOR | | |
|--------------------------|-----------------------|----------|
| White | - White | - White |
| Sand | - Sand | - Sand |
| White | - Black Metallic | - White* |
| White | - Blue Flame Metallic | - White* |
| White | - Red Flame Metallic | - White* |
| Sand | - Black Metallic | - Sand* |
| Sand | - Blue Flame Metallic | - Sand* |
| Sand | - Red Flame Metallic | - Sand* |

Interior Standard is Crest-Liner Interior Coating.
* Optional colors

2200
See crestliner.com for additional floorplans

Rod Storage

Storage

Livewell





2000 BAY



TAME THE UNPREDICTABILITY OF COASTAL WATERS

Fishing with total confidence leads to a great day on the water. The 2000 Bay is built to endure the changing conditions while providing you with everything you need to bag the perfect catch.

1 REVERSE SHEER BOW AND UNIQUE TRANSOM

2 FIBERGLASS CENTER CONSOLE

Console includes instrument panel, space for electronics and more.

3 DUAL AERATED LIVEWELLS

Featuring an 18-gallon livewell with bait bucket in the bow and a 22-gallon livewell with timer in the stern.

MORE FEATURES & OPTIONS

- Ample Seating
- Captain's Package*
- Washdown System*
- Spacious Bow Deck
- *Optional



SPECIFICATIONS

| | | |
|------------------------------|----------|----------|
| Overall Length | 20' 5" | 6.22 m |
| Boat/Motor/Trailer Length | 26' | 7.92 m |
| Boat/Motor/Trailer Width | 8' | 2.44 m |
| Boat/Motor/Trailer Height | 7' | 2.13 m |
| Beam | 96" | 244 cm |
| Transom Height | 20" | 51 cm |
| Deadrise | 12° | 12° |
| Weight (Boat only, dry) | 1,610# | 730 kg |
| Max Capacity (Weight/Person) | 1,508#/6 | 684 kg/6 |
| Max HP Capacity | 150 | 150 |
| Fuel Capacity | 32 gal | 121 L |
| Aluminum Gauge Bottom | .110" | .279 cm |

2000 BAY

COLORS & CONFIGURATIONS

- BASE - ACCENT - INTERIOR
- White - White - White
 - Sand - Sand - Sand
 - White - Black Metallic - White*
 - White - Blue Flame Metallic - White*
 - White - Red Flame Metallic - White*
 - Sand - Black Metallic - Sand*
 - Sand - Blue Flame Metallic - Sand*
 - Sand - Red Flame Metallic - Sand*
 - Mossy Oak® Breakup*
 - Mossy Oak® Shadowgrass*

2000
See crestliner.com for additional floorplans

Rod Storage

Storage

Livewell



Interior Standard is Crest-Liner Interior Coating.
Camouflage paint available as special option.
* Optional colors



ARROW

2000 | 1800



ELEVATE YOUR GAME

Step up to the Arrow's bowfishing platform to zero in on the target.

1 BOWFISHING DECK

Includes two pedestal floor bases, four mounting straps, drink and arrow holder station and center space to mount a trolling motor.

2 ALUMINUM CENTER CONSOLE

Features toggle switches, space for electronics and 6 vertical rod holders.

MORE FEATURES & OPTIONS

- Lock Track Gunnel System with Optional Accessories
- Washdown System*
- Sponson Pods for Enhanced Performance and Stability
- Crest-Liner Interior Coating*
- Camouflage Paint*

*Optional



SPECIFICATIONS

| | 2000 ARROW | | 1800 ARROW | |
|------------------------------|------------|----------|------------|----------|
| Overall Length | 20' | 6.09 m | 18' | 5.48 m |
| Boat/Motor/Trailer Length | 26' | 7.92 m | 26' | 7.92 m |
| Boat/Motor/Trailer Width | 8' | 2.43 m | 8' | 2.43 m |
| Boat/Motor/Trailer Height | 6' 10" | 2.08 m | 6' 10" | 2.08 m |
| Beam | 96" | 244 cm | 96" | 244 cm |
| Transom Height | 20" | 51 cm | 20" | 51 cm |
| Deadrise | 3.5° | 3.5° | 3.5° | 3.5° |
| Weight (Boat only, dry) | 1,344# | 610 kg | 1,288# | 584 kg |
| Max Capacity (Weight/Person) | 1,322#/4 | 600 kg/4 | 1,300#/4 | 590 kg/4 |
| Max HP Capacity | 150 | 150 | 115 | 115 |
| Fuel Capacity | 19 gal | 72 L | 19 gal | 72 L |
| Aluminum Gauge Bottom | .100" | .254 cm | .100" | .254 cm |

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

- Olive Drab
- Marsh Tan
- Mossy Oak® Breakup*
- Mossy Oak® Shadowgrass*

Crest-Liner interior coating available as special option with any paint color.
*Optional color

2000
See crestliner.com for additional floorplans

- Rod Storage
- Storage
- Livewell





RETRIEVER FCC

1870 | 1660



FOR THE FORWARD-LOOKING FISHERMAN

When you want to see what's ahead, you'll want a boat with a forward center console. And when it's time to maneuver the shallow waters, you'll want maximum line of sight and the durability of a Crestliner.

- 1 ALUMINUM FORWARD CENTER CONSOLE
- 2 SEAT BOX WITH CUSHION & STORAGE BELOW
- 3 BOW DECK WITH 23-GALLON LIVEWELL & STORAGE

MORE FEATURES & OPTIONS

- Quick Access Portside Rod Rack Accommodates Three Rods
- Lock Track Gunnel System with Optional Accessories
- Tunnel Hull for Enhanced Jet-engine Performance
- Leaning Post with Cushion and Folding Foot Rest*

*Optional



SPECIFICATIONS

| | | |
|------------------------------|----------|----------|
| Overall Length | 18' | 5.48 m |
| Boat/Motor/Trailer Length | 21' | 6.40 m |
| Boat/Motor/Trailer Width | 8' | 2.43 m |
| Boat/Motor/Trailer Height | 6' 10" | 2.08 m |
| Beam | 96" | 244 cm |
| Transom Height | 27" | 69 cm |
| Deadrise | 3.5° | 3.5° |
| Weight (Boat only, dry) | 970# | 440 kg |
| Max Capacity (Weight/Person) | 1,578#/7 | 715 kg/7 |
| Max HP Capacity | 150 | 150 |
| Fuel Capacity | 19 gal. | 72 L |
| Aluminum Gauge Bottom | .100" | .254 cm |

NEW

1870 RETRIEVER FCC

| | | |
|------------------------------|----------|----------|
| Overall Length | 18' | 5.48 m |
| Boat/Motor/Trailer Length | 21' | 6.40 m |
| Boat/Motor/Trailer Width | 8' | 2.43 m |
| Boat/Motor/Trailer Height | 6' 10" | 2.08 m |
| Beam | 96" | 244 cm |
| Transom Height | 27" | 69 cm |
| Deadrise | 3.5° | 3.5° |
| Weight (Boat only, dry) | 970# | 440 kg |
| Max Capacity (Weight/Person) | 1,578#/7 | 715 kg/7 |
| Max HP Capacity | 150 | 150 |
| Fuel Capacity | 19 gal. | 72 L |
| Aluminum Gauge Bottom | .100" | .254 cm |

NEW

1660 RETRIEVER FCC

| | | |
|------------------------------|----------|----------|
| Overall Length | 16' | 4.88 m |
| Boat/Motor/Trailer Length | 18'6" | 5.64 m |
| Boat/Motor/Trailer Width | 6'7" | 2.00 m |
| Boat/Motor/Trailer Height | 5' 8" | 1.72 m |
| Beam | 85" | 216 cm |
| Transom Height | 22" | 56 cm |
| Deadrise | 3.5° | 3.5° |
| Weight (Boat only, dry) | 835# | 379 kg |
| Max Capacity (Weight/Person) | 1,009#/4 | 458 kg/4 |
| Max HP Capacity | 65 | 65 |
| Fuel Capacity | Portable | Portable |
| Aluminum Gauge Bottom | .100" | .254 cm |

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

■ Olive Drab

■ Marsh Tan

■ Mossy Oak® Breakup*

■ Mossy Oak® Shadowgrass*

Crest-Liner interior coating available as special option with any paint color.

*Optional color

1870

See crestliner.com for additional floorplans

Rod Storage

Storage

Livewell





Pro Staff Roger Gerloff Jr. in the 2070 Retriever SCHD



1760 Retriever SC



1



2



3

LAND THE TOUGH ONE

The hardcore outdoorsman demands choices, including a Center Console (CC), Side Console (SC) and the all-new, fully featured Side Console Heavy Duty (SCHD).

1 **BOW LIVEWELL** (CC/SC: 16 gallon, SCHD: 60 gallon shown)

2 **LOCK TRACK GUNNEL SYSTEM**

3 **ALUMINUM CONSOLE** (SC/SCHD shown)

MORE FEATURES & OPTIONS

- Port Rod Rack (holds 3 rods)
- Bow & Stern Storage
- Gunbox with Rod Tubes and Cushion (SC)*
- Tempress Fishing Seats*
- Tunnel Hull for Enhanced Jet-engine Performance (1860 CC)*

*Optional

▶ For a full video walk-through of the Retriever, visit crestliner.com

RETRIEVER CC/SC/SCHD

2070 | 1860 | 1760 | 1660

SPECIFICATIONS

| | NEW 2070 CC/SC/SCHD | | 1860 CC/SC | | NEW 1760 SC | | NEW 1660 SC | |
|------------------------------|---------------------------------|-----------------------------------|------------|----------|----------------|----------|----------------|----------|
| Overall Length | 20' | 6.09 m | 18' | 5.48 m | 17' | 5.18 m | 16' | 4.87 m |
| Boat/Motor/Trailer Length | 23' | 7.01 m | 21' | 6.40 m | 19' 6" | 5.94 m | 18' 6" | 5.64 m |
| Boat/Motor/Trailer Width | 8' | 2.43 m | 8' | 2.43 m | 6' 10" | 2.08 m | 6' 7" | 2.00 m |
| Boat/Motor/Trailer Height | 6' 10" | 2.08 m | 6' 10" | 2.08 m | 5' 8" | 1.72 m | 5' 8" | 1.72 m |
| Beam | 96" | 244 cm | 85" | 216 cm | 85" | 216 cm | 85" | 216 cm |
| Transom Height | 20" | 51 cm | 20" | 51 cm | 20" | 51 cm | 20" | 51 cm |
| Deadrise | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° |
| Weight (Boat only, dry) | 1,125# (CC/SC) 1,289# (SCHD) | 510 kg (CC/SC) 585 kg (SCHD) | 970# | 440 kg | 890# | 404 kg | 827# | 375 kg |
| Max Capacity (Weight/Person) | 1,862#/7 | 845 kg/7 | 1,578#/7 | 715 kg/7 | 1,260#/5 | 572 kg/5 | 1,001#/4 | 454 kg/4 |
| Max HP Capacity | 150 | 150 | 90 | 90 | 75 | 75 | 60 | 60 |
| Fuel Capacity | 19 gal | 72 L | 19 gal | 72 L | 19 gal | 72 L | Portable | Portable |
| Aluminum Gauge Bottom | .100" (CC/SC) .125" (SCHD) | .254 cm (CC/SC) .318 cm (SCHD) | .100" | .254 cm | .100" | .254 cm | .100" | .254 cm |

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

- Olive Drab
- Marsh Tan
- Mossy Oak® Breakup*
- Mossy Oak® Shadowgrass*

Crest-Liner interior coating available as special option with any paint color.


*Optional color

See crestliner.com for additional floorplans

Rod Storage

Storage

Livewell





THE GET ANYTHING BOAT

A step up from the Retriever Jon, the Retriever Jon Deluxe has everything you need to snag anything from fowl to fish.

1 BOW DECK WITH 16-GALLON LIVEWELL AND STORAGE

2 WINGED BENCH

3 QUICK ACCESS STARBOARD ROD RACK ACCOMMODATES THREE RODS

MORE FEATURES & OPTIONS

- Lock Track Gunnel System with Optional Accessories
- Gunbox with Rod Tubes and Cushion*

*Optional

RETRIEVER JON DELUXE

1860 | 1760 | 1660

SPECIFICATIONS

| | 1860 | | NEW 1760 | | NEW 1660 | |
|------------------------------|----------|----------|----------|----------|----------|----------|
| Overall Length | 18' | 5.49 m | 16' 10" | 5.13 m | 16' | 4.87 m |
| Boat/Motor/Trailer Length | 21' | 6.40 m | 19' 6" | 5.94 m | 18' 6" | 5.64 m |
| Boat/Motor/Trailer Width | 8' | 2.43 m | 6' 10" | 2.08 m | 6' 7" | 2.00 m |
| Boat/Motor/Trailer Height | 6' 10" | 2.08 m | 5' 8" | 6.85 m | 5' 8" | 1.72 m |
| Beam | 85" | 216 cm | 85" | 216 cm | 85" | 216 cm |
| Transom Height | 20" | 51 cm | 20" | 51 cm | 20" | 51 cm |
| Deadrise | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° |
| Weight (Boat only, dry) | 723# | 328 kg | 707# | 321 kg | 670# | 304 kg |
| Max Capacity (Weight/Person) | 1,859#/6 | 753 kg/6 | 1,300#/5 | 590 kg/5 | 1,051#/4 | 477 kg/4 |
| Max HP Capacity | 75 | 75 | 60 | 60 | 50 | 50 |
| Fuel Capacity | Portable | Portable | Portable | Portable | Portable | Portable |
| Aluminum Gauge Bottom | .100" | .254 cm | .100" | .254 cm | .100" | .254 cm |


COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

- Olive Drab
- Marsh Tan
- Mossy Oak® Breakup*
- Mossy Oak® Shadowgrass*

Crest-Liner interior coating available as special option with any paint color.
*Optional color

Rod Storage
Storage
Livewell



1760 Retriever Jon



RETRIEVER JON



FOR THE THRILL OF THE HUNT

With a Retriever Jon, the best part of the hunt is the chase. Followed closely by the excitement in waiting out the fowl or fish.

1 AFT BENCH & BUILT IN FLOOR

2 ELEVATED BOW CASTING DECK

3 LOCK TRACK GUNNEL SYSTEM

MORE FEATURES & OPTIONS

- All-Welded Aluminum Floor, Decks and Transom
- Side Console Steering Configuration*
- Gunbox*
- Crest-Liner Interior Coating*
- Camouflage Paint*

*Optional

2070 | 1860 | 1760 | 1660 | 1546

SPECIFICATIONS

| | 2070 | | 1860 | | NEW 1760 | | NEW 1660 | | 1546 | |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Overall Length | 20' | 6.10 m | 18' | 5.48 m | 17' | 5.18 m | 16' | 4.88 m | 15' 1" | 4.59 m |
| Boat/Motor/Trailer Length | 23' | 7.01 m | 21' | 6.40 m | 19' 6" | 5.94 m | 18' 6" | 5.64 m | 18' | 5.49 m |
| Boat/Motor/Trailer Width | 8' | 2.43 m | 8' | 2.43 m | 6' 10" | 2.08 m | 6' 7" | 2.01 m | 6" | 1.82 m |
| Boat/Motor/Trailer Height | 6' 10" | 2.08 m | 6' 10" | 2.08 m | 5' 8" | 1.72 m | 5' 8" | 1.73 m | 5' 8" | 1.72 m |
| Beam | 96" | 244 cm | 85" | 216 cm | 80" | 203 cm | 80" | 203 cm | 70" | 178 cm |
| Transom Height | 20" | 51 cm | 20" | 51 cm | 20" | 51 cm | 20" | 51 cm | 20" | 51 cm |
| Deadrise | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° |
| Weight (Boat only, dry) | 710# | 322 kg | 601# | 273 kg | 690# | 313 kg | 661# | 300 kg | 290# | 132 kg |
| Max Capacity (Weight/Person) | 1,900#/7 | 862 kg/7 | 1,600#/6 | 726 kg/6 | 1,151#/5 | 522 kg/5 | 1,041#/4 | 472 kg/4 | 825#/4 | 374 kg/4 |
| Max HP Capacity | 75 | 75 | 60 | 60 | 50 | 50 | 40 | 40 | 25 | 25 |
| Fuel Capacity | Portable | Portable | Portable | Portable | Portable | Portable | Portable | Portable | Portable | Portable |
| Aluminum Gauge Bottom | .100" | .254 cm | .100" | .254 cm | .100" | .254 cm | .100" | .254 cm | .080" | .203 cm |


COLORS & CONFIGURATIONS

- BASE - ACCENT - INTERIOR
- Olive Drab
 - Marsh Tan
 - Mossy Oak® Breakup*
 - Mossy Oak® Shadowgrass*

Crest-Liner interior coating available as special option with any paint color.
*Optional color

2070
See crestliner.com for additional floorplans





WHERE EASYGOING MEETS HARDWORKING

Whatever the task, the CR Jon can help you get it done. It's the perfect fit for the all-season sportsman.

COLORS & CONFIGURATIONS

- Olive Drab
- Marsh Tan

See crestliner.com for additional floorplans

- L = Light Model
- M = Modified-V Bow
- T = Tall Transom (20")



1852 MT



1032

CR JON

1852 | 1648 | 1448 | 1436 | 1236 | 1232 | 1040 | 1032

| SPECIFICATIONS | 1852MT | | 1648/M/MT/T | | 1448/M/MT/T | | 1436/L | | 1236 | | 1232 | | 1040 | | 1032 | |
|------------------------------|----------|----------|----------------------------|--------------------------------|----------------------------|--------------------------------|----------------------|--------------------------|---------|----------|---------|----------|--------|----------|--------|----------|
| Overall Length | 18' | 5.48 m | 15' 10" | 4.82 m | 14' | 4.27 m | 14' | 4.27 m | 11' 11" | 3.63 m | 11' 10" | 3.60 m | 10' | 3.04 m | 10' | 3.04 m |
| Beam | 75" | 191 cm | 70" | 178 cm | 70" | 178 cm | 57" | 145 cm | 56" | 142 cm | 48" | 122 cm | 56" | 142 cm | 48" | 122 cm |
| Chine Width | 52" | 132 cm | 48" | 122 cm | 48" | 122 cm | 36" | 91 cm | 36" | 91 cm | 32" | 81 cm | 40" | 102 cm | 32" | 81 cm |
| Side Depth | 21" | 53 cm | 21" | 53 cm | 19" (1448/T) 21" (M/MT) | 48 cm (1448/T) 53 cm (M/MT) | 17" | 43 cm | 17" | 43 cm | 16" | 41 cm | 16" | 41 cm | 16" | 41 cm |
| Transom Height | 20" | 51 cm | 15" (1648/M) 20" (MT/T) | 38 cm (1648/M) 51 cm (MT/T) | 15" (1448/M) 20" (MT/T) | 38 cm (1448/M) 51 cm (MT/T) | 15" | 38 cm | 15" | 38 cm | 15" | 38 cm | 15" | 38 cm | 15" | 38 cm |
| Weight (Boat only, dry) | 475# | 215 kg | 275# | 125 kg | 260# | 118 kg | 185# 145# (L) | 85 kg 66 kg (L) | 140# | 63 kg | 90# | 41 kg | 87# | 39 kg | 80# | 36 kg |
| Max Capacity (Weight/Person) | 1,375#/6 | 624 kg/6 | 1014#/4 | 460 kg/4 | 825#/4 | 375 kg/4 | 675#/3 560# (L)/3 | 306 kg/3 254 kg (L)/3 | 527#/3 | 239 kg/3 | 389#/2 | 176 kg/2 | 419#/3 | 190 kg/3 | 275#/2 | 125 kg/2 |
| Max HP Capacity | 40 | 40 | 35 | 35 | 25 | 25 | 15 (L) 20 | 15 (L) 20 | 10 | 10 | 3.5 | 3.5 | 5 | 5 | 3 | 3 |

FEATURES & OPTIONS

Below are just some of the features and options available to tailor your Crestliner to your personal style of boating and fishing. For more information visit crestliner.com. *Not all features are available on all boats.




DELUXE SEATS

Extra wide for added comfort and stability. The cushioned backrest conveniently folds down.



TEMPRESS SEATS

New, no frills fold-down seat that provides just the right amount of comfort.



GUN BOX

Spacious, versatile and lockable storage for fishing rods and hunting equipment such as guns and ammo.



SUREMOUNT GUNNEL ACCESSORY SYSTEM

Removable SureMount aluminum accessory brackets let you slide your favorite accessories along the gunnel for perfect placement without drilling.



LOCK TRACK GUNNEL ACCESSORY SYSTEM

A channel along the gunnel clasps accessories, including a cleat/blind tie down shown. Lock Track accessories match body paint.



TRAVEL COVER WITH RATCHET STRAPS

The snug, custom-cut travel cover attaches securely with ratchet straps.



CENTER SEAT

Optional center seat between the helm and passenger seats folds down to be a step to the stern. Available on the PT, VT and VTC. (PT 18 shown)



MAG WHEEL TRAILER

Features include aluminum wheels, steel fenders and ratchet tie downs. (Available on the VT and VTC.)



DX TRIM LEVEL

Optional DX Trim Level Package including DX hullside designator, windscreen, black sport steering wheel, SureMount accessory mounting bracket (1), latch for bow step storage, automatic bilge pump, recirculating livewell pump, insulated livewell and storage compartment lids, chrome compression latches and upgraded hardwired trolling motor harness. (VT, VTC)

| | PT | | VT | | | VTC | | | STORM | | OUTLOOK | BAY | | ARROW | | RETRIEVER FCC | | RETRIEVER CC/SC/SCHD | | | | | | | | RETRIEVER JON DELUXE | | | RETRIEVER JON | | | | |
|---|------------------|------------|---------------|---------------|-------------|---------------|---------------|------------|----------|----------|----------|----------|----------|---------|---------|------------------|---------|----------------------|---------|-----------|----------|---------|---------|---------|----------|----------------------|----------|-------|---------------|-------|-------|-------|-------|
| | 20 | 18 | 19 | 18 | 17 | 19C | 18C | 17C | 1700 | 1600 | 1657 | 2200 | 2000 | 2000 | 1800 | 1870 | 1660 | 2070 CC | 2070 SC | 2070 SCHD | 1860 CC | 1860 SC | 1760 SC | 1660 SC | 1660 | 1760 | 1660 | 2070 | 1860 | 1760 | 1660 | 1546 | |
| CONSOLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Console Configurations Offered | SC/DC | SC/DC | SC/DC | SC/DC | SC | SC/DC | SC/DC | SC | SC | SC | SS | CC | CC | CC | CC | FCC | FCC | CC | SC | SC | CC | SC | SC | SC | SC | TL | TL | TL | TL/SC | TL/SC | TL/SC | TL/SC | TL/SC |
| SEATING | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard Premium Bucket Seats (2) / Modified Bucket Seats (2) | STD/- | STD/- | -/STD | -/STD | -/STD | -/STD | -/STD | -/STD | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- |
| Standard Deluxe Seats / Tempres Seats | -/- | -/- | 2/- | 2/- | 2/- | 2/- | 2/- | 2/- | -/2 | -/2 | -/2 | 1/- | 1/- | -/- | -/- | -/- | -/2 | -/2 | -/- | -/2 | -/2 | -/1 | -/1 | -/1 | -/1 | -/1 | -/1 | -/1 | -/1 | -/1 | -/1 | -/1 | |
| Additional Standard Seating | PS/BT | PS/BT | DL | DL | DL | DL | DL | DL | - | - | - | LP/FC/JS | LP/FC/JS | LP/SC | LP/SC | SB | SB | SC | - | - | SC | - | - | - | AB | AB | AB | AB | AB | AB | AB | AB | |
| Optional Seating | BT/PS/CFBT/PS/CF | CF | CF | CF | CF | CF | CF | CF | - | - | TSS | PLP/DL | DL | TS | TS | LP/TS/SCLP/TS/SC | LP/TS | BS/TS | BS/TS | LP/TS | BS/TS | BS/TS | BS/TS | BS/TS | TST/TS | TST/TS | TST/TS | TS | TS | TS | TS | TS | |
| Camo Seats | - | - | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | - | OPT | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | |
| Seat Pedestal Bases | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | - | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| STORAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Storage Compartment(s) | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD (L) | STD (L) | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | |
| Gunbox / Gunbox w/ Rod Tubes and Cushion | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/OPT | -/OPT | -/- | -/OPT | -/OPT | -/OPT | -/OPT | -/OPT | -/OPT | -/OPT | -/OPT | -/OPT | -/OPT | -/OPT | -/OPT | |
| Rod Storage Compartment | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Open Rod Storage w/ Tubes | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | |
| Open Vertical Rod Storage | - | - | - | - | - | - | - | - | - | - | - | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | - | - | - | - | - | - | - | |
| Rod Capacity/Max Rod Length (# of Rods) | 34/8' 6" (34) | 36/8' (12) | 24/8' 6" (16) | 24/8' 6" (16) | 8/7' 6" (8) | 16/8' 6" (16) | 16/8' 6" (16) | 16/8' (16) | 5/8' (5) | 5/8' (5) | 4/9' (4) | 10/4 (6) | 14/4 (6) | 6/4 (6) | 6/4 (6) | 9/4 (6) | 9/4 (6) | 10/4 (6) | 7/4 (3) | 7/4 (3) | 10/4 (6) | 7/4 (3) | 7/4 (3) | 7/4 (3) | 3/7' (3) | 3/7' (3) | 3/7' (3) | - | - | - | - | - | |
| Livewell(s) | A ® | A ® | A ® | A ® | A ® | A ® | A ® | A ® | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | | |
| ELECTRONICS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trolling Motor | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | |
| Trolling Motor Harness and Receptacle | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | |
| Battery Charger | OPT | OPT | STD | STD | STD | STD | STD | STD | STD | STD | STD | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | |
| Depth/FishFinder | OPT | OPT | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | |
| INTERIOR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carpeted | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| Crest-Liner (Spray-In Liner w/ Painted Interior) | - | - | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | STD | STD | STD | STD | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | |
| Painted Interior | - | - | - | - | - | - | - | - | - | - | - | - | - | - | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | |
| MISCELLANEOUS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Camouflage Paint | - | - | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | - | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | |
| Bilge Pump | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | |
| Deck Cleats | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | |
| Horn | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | |
| Lock-Track Accessory Gunnel | - | - | - | - | - | - | - | - | - | - | - | - | - | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | |
| SureMount Gunnel System | - | - | STD | STD | STD | STD | STD | STD | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| Stainless Steel Bow and Stern Eyes | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | |

LEGEND: STD = Standard OPT = Optional - = Not Available
 CONSOLE: CC = Center Console DC = Dual Console FCC = Forward Center Console SC = Side Console SS = Stick Steer TL = Tiller
 SEATING: AB = Aluminum Bench BS = Bench Seat BT = Butt Seat w/Pedestal CF = Center Fold-Down Seat-Step DL = Deluxe Seat FC = Forward Console Seat JS = Jump Seats LP = Leaning Post
 PLP = Premium Leaning Post PS = Pro Seat SB = Seat Box w/Cushion & Storage below SC = Seat Cushions TS = Tempres Seat TSS = Tempres Seat w/ Storage below TST = Seat for Seat Track
 STORAGE: L = Lockable V = Vertical Rod Storage A = Aerated R = Standard Recirculating System ® = Optional Recirculating System

These are just some of the features and options available. Please see the Crestliner website for more information. Some features/options may change based on layout. Every effort was made to ensure that this information was accurate at the time of printing. Crestliner assumes no responsibility for errors in type or in print

PAINT OPTIONS



Blue Flame Metallic




Silver Metallic




Red Flame Metallic



Black Metallic



White



Sand



Olive Drab



Marsh Tan




Mossy Oak® Breakup




Mossy Oak® Shadowgrass

INTERIOR PAINT OPTIONS



White



Sand



Matte Gray



Olive Drab



Gray Carpet



Marsh Tan



Mossy Oak® Breakup



Mossy Oak® Shadowgrass



Crest-Liner Interior Coating

CARPET SWATCH

*Not all processes, features and statements apply to every Crestliner boat model.

All prices and specifications subject to change. Crestliner reserves the right to discontinue models or change prices, specifications, materials, equipment, color or design at any time without notice and without incurring obligations. Some models are shown with optional features and equipment. Outboard model weights shown in this catalog reflect the approximate weight of the boat only, and do not include weights of the outboard motor or accessories installed. All boats meet or exceed United States Coast Guard regulations, applicable American Boat and Yacht Council standards and are certified by the National Marine Manufacturer's Association. Our proven construction and durability allow us to offer you one of the best warranties in the industry. Crestliner was the first to offer a limited LIFETIME hull warranty to the original owner. All mainseam welds are covered. Interior support construction carries a limited 10-year warranty. Plus, you get a limited 3-year bow-to-stern warranty on virtually everything else. It gets better...Crestliner's warranty is transferable! When its time to upgrade to a new Crestliner, you have the option to transfer the warranty to the second owner. (Limited Lifetime warranty differs for Outreach and CR Jon boats.) Some restrictions apply. For complete details, a copy of our limited warranty is attached to each new boat or may be obtained from your Crestliner dealer. Many boats featured in this catalog are shown with available options. See your dealer for details. Every effort was made to ensure that this information was accurate at the time of printing. Crestliner assumes no responsibility for errors in type, in print or in photos. Please follow the rules of safe boating, be courteous to others and respect the marine environment.

Special thanks to Robin's Resort, Usage Beach, MO and Ruttger's Bay Lake Lodge, Deerwood, MN.

©2018 Crestliner / A Brunswick boat company. Printed in USA